2004

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 102

City of Bristol

Prepared By

Virginia Department of Transportation Mobility Management Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Mobility Management Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT's Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North
81 Interstate Route
Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

US Route

(600) Secondary Route

Special Routes

Bus Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
ALT ALT - Alternate Route
Wve - Wve Route connector

Virginia State Route

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

		Ci	tv of Brist	:ol												
Route	Jurisdiction	Length	AADT	QA	4Tire	Bus					QC	K	QK	Dir	AAWDT	QW
	From:					1	2Axle	3+Axle	1Trail	2Trail		Factor		Factor		
11 421 Euclid Ave	City of Bristol	0.75	State St 14000	F	98%	0%	0%	0%	1%	0%	С	0.088	F	0.506	15000	F
\longrightarrow	Tax From:		Vance St			1										
(11) (421) Euclid Ave	City of Bristol	0.19	16000	F	99%	0%	0%	0%	0%	0%	F	0.087	F	0.505	18000	F
	To: From:		Morrison B			}										
11 421 Euclid Ave	City of Bristol	0.18	19000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.505	21000	F
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Ta: From:		monwealth		2221		00/	201	201			0.004		0.540	11000	
(11) (19) Euclid Ave	City of Bristol	0.48	9600	F	99%	0%	0%	0%	0%	0%	F	0.094	F	0.543	11000	F
11 (19) Euclid Ave	City of Bristol	0.56	iedmont Av 7200	e F	99%	0%	0%	0%	0%	0%	С	0.092	F	0.532	7900	F
[11] [19] Euclid Ave	City of Bristor	0.50		Г	99 /0	U /0 <b>7</b>	0 /0	0 /6	076	0 /0	C	0.092	-	0.332	7900	r
11 19 Lee Highway	City of Bristol	0.48	Moore St <b>15000</b>	F	99%	0%	0%	0%	0%	0%	F	0.083	F	0.518	16000	F
			Valley Dr													
11 19 Lee Highway	City of Bristol	1.26	14000	F	98%	0%	0%	0%	1%	0%	С	0.084	F	0.518	15000	F
	To: From:		Overhill Rd			<u> </u>										
11\ 19\ Lee Highway	City of Bristol	1.36	Ramp to I-81	F	98%	J 0%	0%	0%	1%	0%	F	0.085	F	0.569	18000	F
(1) (19) 200 1 1 91 1 1 1 1	To:		Bonham Rd	•		~~~	0,0	0,0	.,,	0,0	•	0.000	•	0.000	.0000	
11 (19) Lee Highway	City of Bristol	0.51	16000	F	98%	0%	0%	0%	1%	0%	F	0.090	F	0.574	18000	F
	Ta:	0	ld Airport R	.d		1										
(11) (19) Lee Highway	City of Bristol	0.68	11000	F	98%	0%	0%	0%	1%	0%	F	0.102	F	0.527	12000	F
<del>\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ </del>	Tn·		NCL Bristol													
Truck Truck	From: City of Bristol (Maint: 95)	SR 381 0 0.21	8600	alth Ave	98%	0%	1%	0%	1%	0%	F	0.080	F	0.517	9400	F
(11) (421) (19) Goode St	City of Bristor (Maint. 95)				90%	0% <b>1</b>	170	0%	170	0%	Г	0.000	Г	0.517	9400	Г
Truck Truck	From:		305 Piedmor													
11 421 19 Cumberland St	City of Bristol (Maint: 95)	0.34	9300 State St	F	98%	0% <b>1</b>	1%	0%	1%	0%	F	0.095	F	0.55	10000	F
Truck Truck	From:	US 421 St	ate St; Cum	berland :	St											
(11) (19) Randall St	City of Bristol	0.93	7300	G	97%	0%	1%	1%	1%	0%	С	NA			7800	G
Truck Truck	To: From:		13 Oakview umberland S													
11 (113) (19) Moore St	City of Bristol	0.12	9100	F	97%	0%	1%	1%	1%	0%	F	0.087	F	0.508	10000	F
	To:		Euclid Ave													
Company and the Arra	From:	0.40	US 421		0.407	00/	20/	00/	207	00/	г	NIA			04.000	
(19) (381) (421) Commonwealth Ave	City of Bristol	0.16	20000	G	94%	0%	3%	0%	2%	0%	F	NA			21000	G
(19) (381) (421) Commonwealth Ave	City of Bristol	SR 113 0.16	3 Cumberlar 19000	id Ave	96%	1%	1%	1%	3%	0%	F	0.085	F	0.551	20000	F
(19) (381) (421) Commonwealth Ave	City of Diffstor				9070	1 70 <b>7</b>	170	I 70	370	U70	Г	0.003	Г	0.551	20000	Г
(19) (381) (421) Commonwealth Ave	City of Bristol	SR 13: 0.19	3 Par Sycam 22000	ore St	96%	1%	1%	1%	3%	0%	F	0.082	F	0.562	23000	F
(19) (381) (421) Commonwealth Ave	To-	0.10	RT 381		0070	<u> </u>	. 70	. 70				0.002		0.002		

### Virginia Department of Transportation Mobility Management Division

### 2004 Annual Average Daily Traffic Volume Estimates By Section of Route City of Bristol

			ILV OI DIISI	lOi								17		D:-		
Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru			QC	K	QK	Dir	AAWDT	QW
	From:	·					2Axle	3+Axle	11 raıl	21 rail		Factor		Factor		
19 11 Euclid Ave	City of Bristol	0.48	RT 381 <b>9600</b>	F	99%	J 0%	0%	0%	0%	0%	F	0.094	F	0.543	11000	F
19 11 Euclid Ave	City of Briston				9970	7	0 /6	076	076	076	•	0.094	-	0.545	11000	-
	From:		riedmont Av		2001		001	00/	00/	201	_	0.000	_	0.500	7000	_
19 (11) Euclid Ave	City of Bristol	0.56	7200	F	99%	0%	0%	0%	0%	0%	С	0.092	F	0.532	7900	F
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	To: From:		Moore St			]										
{19} {11} Lee Highway	City of Bristol	0.48	15000	F	99%	0%	0%	0%	0%	0%	F	0.083	F	0.518	16000	F
\bigcirc	To:		Valley Dr			—										
19 11 Lee Highway	City of Bristol	1.26	14000	F	98%	0%	0%	0%	1%	0%	С	0.084	F	0.518	15000	F
	To:		Overhill Rd													
~~ ~~	From:	<u></u>	Island Rd			」					_		_			_
$\begin{pmatrix} 19 \end{pmatrix} \begin{pmatrix} 11 \end{pmatrix}$ Lee Highway	City of Bristol	1.22	17000	F	98%	0%	0%	0%	1%	0%	F	0.085	F	0.569	18000	F
	To: From:		Bonham Rd]										
19 11 Lee Highway	City of Bristol	0.51	16000	F	98%	0%	0%	0%	1%	0%	F	0.090	F	0.574	18000	F
	_ Tac	0	ld Airport R	Rd		—										
19 11 Lee Highway	City of Bristol	0.68	11000	F	98%	0%	0%	0%	1%	0%	F	0.102	F	0.527	12000	F
	To:		NCL Bristol													
Truck Truck	From:	SR 381	Commonwe	alth Ave	:											
(19) (421) (11) Goode St	City of Bristol (Maint: 95)	0.21	8600	F	98%	0%	1%	0%	1%	0%	F	0.080	F	0.517	9400	F
	To:	102.33	305 Piedmoi	nt Ava												
Truck Truck	From:															
(19)(421)(11) Cumberland St	City of Bristol (Maint: 95)	0.34	9300	F	98%	0%	1%	0%	1%	0%	F	0.095	F	0.55	10000	F
Truck Truck	To:	Truck	US 11 Rand State St	dall St												
19 (11) Randall St	City of Bristol	0.93	7300	G	97%	J 0%	1%	1%	1%	0%	С	NA			7800	G
19) (11)	To:		umberland S		0.70	7	.,0	.,0	.,,	0,0	Ū					•
Truck Truck	From:		Dakview Av													
(19) (113) (11) Moore St	City of Bristol	0.12	9100	F	97%	0%	1%	1%	1%	0%	F	0.087	F	0.508	10000	F
	To·		Euclid Ave													
	From:	,	WCL Bristo	1												
58 421 Gate City Hwy	City of Bristol (Maint: 95)	0.50	5400	F	97%	0%	1%	1%	1%	0%	С	0.089	F	0.675	5900	F
	To:		I-81; US 421													
\bigcirc	City of Drietal (Maint OC)	2.44	S 58; US 42	21]	4 famalina	4: 1 4			·· 4	- f 4h:-		1		
58 81	City of Bristol (Maint: 95)		40000	_								s for this	segn	nent.	40000	_
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	42000	F	77%	1%	1%	1%	20%	1%	F	NA			42000	F
	To- From:		I-381					_			_					
(58) (81)	City of Bristol (Maint: 95)	1.39										s for this	•			
~ ~	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	53000	F	77%	1%	1%	1%	20%	1%	F	0.075	F	0.507	54000	F
	Ta: From:	Ţ	JS 11, US 1	9]										
(58) (81)	City of Bristol (Maint: 95)	2.13			5	See I-8	1 for dire	ectional t	raffic vo	lume es	timate	s for this	segn	nent.		
\sim	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	47000	F	77%	1%	1%	1%	20%	1%	F	NA			48000	F
	To:	O	ld Airport R	Rd												
	· · · · · · · · · · · · · · · · · · ·											·		· ·	·	

Virginia Department of Transportation Mobility Management Division

2004 Annual Average Daily Traffic Volume Estimates By Section of Route City of Bristol

		OI	ity of Bristo	OI .				Tri	ıck			K		Dir		
Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	2Ayle	3+Axle			QC	Factor	QK	Factor	AAWDT	QW
	From:	0	ld Airport Ro	d		1	27 0.10	0171710	TTTU	ZITUII		1 40101		1 40101		
(58) (81)	City of Bristol (Maint: 95)	0.93			5	See I-8	1 for dire	ectional t	raffic vo	olume est	timate	s for this	segn	nent.		
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	48000	F	77%	1%	1%	1%	20%	1%	F	0.078	F	0.537	49000	F
	To:	1	NCL Bristol													
North	From		SCL Bristol													
81)	City of Bristol (Maint: 95)	0.61	21000	F	76%	1%	1%	1%	21%	1%	F	0.073	F		21000	F
\smile	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	39000	F	77%	1%	1%	1%	20%	1%	F	NA			39000	F
North		U	S 58, US 421	1]										
(81) (58)	City of Bristol (Maint: 95)	2.44	21000	F	76%	1%	1%	1%	21%	1%	F	0.075	F		21000	F
(1) (30)	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	42000	F	77%	1%	1%	1%	20%	1%	F	NA			42000	F
	To		I-381													
North	Prom:	4.00	26000	F	76%	」 1%	40/	40/	240/	40/	F	0.070	F		27000	F
81 (58)	City of Bristol (Maint: 95)	1.39					1%	1%	21%	1%	F	0.076	-	0.507		•
	Combined Traffic Estimates for 2 Parallel Roadway			F	77%	1%	1%	1%	20%	1%	Г	0.075	F	0.507	54000	F
North	To: From:	U	JS 11, US 19)												
(81) (<u>58</u>)	City of Bristol (Maint: 95)	2.13	24000	F	76%	1%	1%	1%	21%	1%	F	0.084	F		24000	F
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	47000	F	77%	1%	1%	1%	20%	1%	F	NA			48000	F
N	To Section 1	0	ld Airport Ro	d		}										
North (50)	City of Bristol (Maint: 95)	0.93	25000	F	76%	- 1%	1%	1%	21%	1%	F	0.079	F		26000	F
81 58	Combined Traffic Estimates for 2 Parallel Roadway			F	77%	1%	1%	1%	20%	1%	F	0.078	· F	0.537	49000	F
	To:		NCL Bristol		1170	7	170	1 70	20 /0	1 70	•	0.070	•	0.557	43000	
North	From		I-81 N			Ì										
81 Ramp I-81 N Exit 3 to I-381	S City of Bristol (Maint: 95)	0.30	1800	F	94%	0%	1%	2%	3%	0%	F	NA			5400	G
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	2600	F	94%	0%	1%	2%	3%	0%	F	NA			11000	G
	Te		I-381 S													
South	From:		SCL Bristol													
(81)	City of Bristol (Maint: 95)	0.16	18000	F	78%	1%	1%	1%	18%	1%	F	0.077	F		18000	F
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	39000	F	77%	1%	1%	1%	20%	1%	F	NA			39000	F
Courth	To: From:	U	S 58, US 421	1]										
South (81) (58)	City of Bristol (Maint: 95)	3.58	21000	F	78%	- 1%	1%	1%	18%	1%	F	0.072	F		21000	F
81 (58)	Combined Traffic Estimates for 2 Parallel Roadway			F	77%	1%	1%	1%	20%	1%	F	NA	·		42000	F
	To T	reace.			1170	٠,,,	170	170	2070	1 70	•				12000	•
South	From:	1	I-381			J										
(81) (58)	City of Bristol (Maint: 95)	1.25	27000	F	78%	1%	1%	1%	18%	1%	F	0.079	F		27000	F
\smile	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	53000	F	77%	1%	1%	1%	20%	1%	F	0.075	F	0.507	54000	F
South	To- From:	U	JS 11, US 19)]										
(81) (58)	City of Bristol (Maint: 95)	1.99	23000	F	78%	1%	1%	1%	18%	1%	F	0.076	F		23000	F
<u>.,</u>	Combined Traffic Estimates for 2 Parallel Roadway			F	77%	1%	1%	1%	20%	1%	F	NA			48000	F
	To:		ld Airport Ro		,	7	.,0	. , ,		. , ,	-				.5000	•

Virginia Department of Transportation Mobility Management Division

2004 Annual Average Daily Traffic Volume Estimates By Section of Route City of Bristol

			ty of Bristo	OI				Tru	ıck			K		Dir		
Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	2Axle	3+Axle		2Trail	QC	Factor	QK	Factor	AAWDT	QW
South	From:	0	ld Airport Ro	d		Ī		0 17 18 18		2				. 4010.		
(81) (58)	City of Bristol (Maint: 95)	0.50	23000	F	78%	1%	1%	1%	18%	1%	F	0.077	F		23000	F
\bigcirc	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	48000	F	77%	1%	1%	1%	20%	1%	F	0.078	F	0.537	49000	F
	To:]	NCL Bristol													
	From:		monwealth A	Ave												
113 Cumberland St	City of Bristol	0.28	2300	F	98%	1%	0%	0%	0%	0%	С	0.089	F	0.561	2500	F
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	3200	F	98%	0%	0%	0%	0%	0%	С	NA			3500	F
	То:		21 Piedmont													
Diadecart Ava	Prom:		umberland S		070/		40/	40/	40/	00/	F	0.000	_	0.504	4400	_
Piedmont Ave	City of Bristol	0.08	3700	F	97%	0%	1%	1%	1%	0%	•	0.093	F	0.501	4100	F
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	4600	F	97%	0%	1%	0%	1%	0%	F	NA			5100	F
	To: From:		P, Sycamor			}—										
Piedmont Ave	City of Bristol	0.25	3200	F	97%	0%	1%	1%	1%	0%	F	0.09	F	0.54	3500	F
<u> </u>	To		Dakview Ave													
Oologiow Avo	City of Bristol	0.60	iedmont Ave	F	97%	J 0%	1%	1%	1%	0%	С	0.108	F	0.584	2100	F
Oakview Ave	City of Briston	0.60	Moore St	Г	9170	7	170	170	170	0%	C	0.106	Г	0.364	2100	Г
Truck Truck	From:	(Dakview Ave	;		1										
113) (11) (19) Moore St	City of Bristol	0.12	9100	F	97%	0%	1%	1%	1%	0%	F	0.087	F	0.508	10000	F
	To		Euclid Ave													
	From:	SR 381 (Commonwea	ılth Ave		1										
Sycamore St	City of Bristol	0.40	910	F	99%	0%	0%	0%	0%	0%	С	0.12	F	0.504	1000	F
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	3200	F	98%	0%	0%	0%	0%	0%	С	NA			3500	F
	To:		iedmont Ave													
lorth	From:		SR 381													
381)	City of Bristol (Maint: 95)	1.14	8600	В	96%	1%	1%	1%	3%	0%	С	0.108	Α		9000	Е
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	17000	В	96%	1%	1%	1%	3%	0%	С	0.1	Α	0.541	18000	Е
	To:		I-81													
lorth	From:		I-381 N			_							_			
Ramp I-381 N to I-81 N	City of Bristol (Maint: 95)	0.25	8200	F								0.093	F		8200	F
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:		F		7						0.087	F	0.586	15000	F
	10.		I-81 N													
lorth	From:		I-381 N			J					_					
Ramp I-381 N to I-81 S	City of Bristol (Maint: 95)	0.31	800	F	94%	0%	1%	2%	3%	0%	F	NA			5400	(
	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:	2600	F	94%	0%	1%	2%	3%	0%	F	NA			11000	(
	То:		I-81 S			<u> </u>										
South 381	From:		SR 381					_								
381)	City of Bristol (Maint: 95)	1.06	8200	В	96%	0%	1%	0%	3%	0%	С	0.102	Α		8700	Е
\sim	Combined Traffic Estimates for 2 Parallel Roadway	s on this Route:		В	96%	1%	1%	1%	3%	0%	С	0.1	Α	0.541	18000	В
	То:		I-81													

			ty OI BIIS					Tru	ıck			K		Dir		
Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	QW
South	From:		I-381 S													
381) Ramp I-381 S from I-81 S	City of Bristol (Maint: 95)	0.61	6400	F	96%	0%	1%	0%	3%	0%	F	0.091	F		6800	F
Combin	ned Traffic Estimates for 2 Parallel Roadways	on this Route:	15000	F		7						0.087	F	0.586	15000	F
	To:		I-81 S													
	From:		Tennessee S				00/	00/	007	001	_				04000	_
381) (19) (421) Commonwealth Ave	City of Bristol	0.23	20000	G	94%	0%	3%	0%	2%	0%	F	NA			21000	G
Commonwealth Ave	City of Driesel		Cumberla		000/	10/	40/	40/	20/	00/		0.005	_	0.554	20000	
381 (19) (421) Commonwealth Ave	City of Bristol	0.16	19000	F	96%	1%	1%	1%	3%	0%	F	0.085	F	0.551	20000	F
	To- From:		Par; Sycan			J					_		_			
381) (19) (421) Commonwealth Ave	City of Bristol	0.19	22000	F	96%	1%	1%	1%	3%	0%	F	0.082	F	0.562	23000	F
	To- From:	US	11 Euclid A	Ave]										
381) Commonwealth Ave	City of Bristol	0.63	22000	F	96%	1%	1%	1%	3%	0%	F	0.092	F	0.533	23000	F
\smile	То:	K	eys St; I-38	1												
~~ <i>~</i>	From:		WCL Bristo													
421 (58) Gate City Hwy	City of Bristol (Maint: 95)	0.50	5400	F	97%	0%	1%	1%	1%	0%	С	0.089	F	0.675	5900	F
~ ~	To: From:	1	US 58; I-81													
421	City of Bristol (Maint: 95)	0.21	9500	F	98%	0%	1%	0%	1%	0%	С	0.094	F	0.567	10000	F
	To: From:		Island Rd			1—										
421	City of Bristol	0.80	9800	F	98%	0%	1%	0%	1%	0%	F	0.094	F	0.584	11000	F
	Ta: From:		W US 11			_										
421 (11) Euclid Ave	City of Bristol	0.75	14000	F	98%	0%	0%	0%	1%	0%	С	0.088	F	0.506	15000	F
~ ~	To- From:		Vance St			_										
421 (11) Euclid Ave	City of Bristol	0.19	16000	F	99%	0%	0%	0%	0%	0%	F	0.087	F	0.505	18000	F
\sim	To: From:	Bob	Morrison E	Blvd		I										
421 (11) Euclid Ave	City of Bristol	0.18	19000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.505	21000	F
~ · ·	To-		E RT 11			1										
421 381 19 Commonwealth Ave	City of Bristol	0.19	22000	F	96%	1%	1%	1%	3%	0%	F	0.082	F	0.562	23000	F
\sim	To:	SR 133	3 Par Sycan	ore St		1—										
421 381 19 Commonwealth Ave	City of Bristol	0.16	19000	F	96%	1%	1%	1%	3%	0%	F	0.085	F	0.551	20000	F
\sim	To:	SR 113	3 Cumberlar	nd Ave		1—										
421 (381) (19) Commonwealth Ave	City of Bristol	0.16	20000	G	94%	0%	3%	0%	2%	0%	F	NA			21000	G
~	To	SR 381 C	Commonwe	alth Ave		} —										
Truck Truck 421 (11) 19 Goode St	City of Bristol (Maint: 95)	0.21	8600	F	98%	0%	1%	0%	1%	0%	F	0.080	F	0.517	9400	F
421) (11) (19) Goode St	City of Bristor (Maint. 93)				90 /0	7	1 /0	076	1 /0	076		0.000		0.517	9400	
Truck Truck	To: From:	102-33	305 Piedmo	nt Ave												
421) (11) (19) Cumberland St	City of Bristol (Maint: 95)	0.34	9300	F	98%	0%	1%	0%	1%	0%	F	0.095	F	0.55	10000	F
~ ~ ~	To: From:	Truck	US 11 Ran	dall St		}										
State St	City of Bristol (Maint: 95)	0.28	9700	F	98%	0%	1%	0%	1%	0%	F	0.088	F	0.576	11000	F
<i></i>	To:	Goodson St	; Tennessee	State L	ne											

						City of Bristol									
Route	Length	AADT	QA	4Tire	Bus	True 2Axle 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Bristol 1 Benham Rd	0.03	4500	F	94% To:	0%	Island Rd 0% 1% NCL Bristol	2%	2%	С	0.093	F	0.647	4900	F	2004
2 Goodson St	0.36	3600	F	From: 97% To:	0%	State St 1% 1% Mary St	1%	0%	С	0.098	F	0.607	4000	F	2004
5 Commonwealth Ave Ext	0.33	4200	F	From: 97% To:	0%	Keys St 1% 0% Pittstown Rd	1%	0%	С	0.086	F	0.572	4600	F	2004
6 Glenway Ave	0.42	4000	F	From: 98% To:	0%	Commonwealth Av 1% 0% Piedmont Ave	/e 0%	0%	С	0.1	F	0.566	4400	F	2004
8 Pittstown Rd	0.45	3900	F	From: 99% To:	0%	Commonwealth Av 1% 0% Island Rd	^{7e} 0%	0%	С	0.101	F	0.619	4200	F	2004
Randolph Ave	0.22	3700	F	From: 99%	0%	Vance St 0% 0%	0%	0%	F	0.1	F	0.562	4100	F	2004
Randolph Ave	0.51	4800	F	To: From: 99% To:	0%	Wagner Rd 0% 0% Spurgeon Ln	0%	0%	С	0.097	F	0.552	5300	F	2004
(10) Rhode Island Rd	0.35	1400	F	99% To:	0%	Fairview St 1% 0% Texas Ave	0%	0%	С	0.1	F	0.517	1500	F	2004
11 Spurgeon Ln	0.12	4900	F	99% To:	0%	Randolph Ave 1% 0% Commonwealth Ave	0% /e	0%	С	0.091	F	0.541	5400	F	2004
(12) Texas St	0.49	2000	F	97% To:	1%	Rhode Island Ave 1% 0% E Valley Dr	1%	0%	С	0.114	F	0.529	2200	F	2004
(13) Vance St	0.13	2800	F	From: 99% To:	0%	US 11Euclid Ave 1% 0% Randolph Ave	0%	0%	С	0.09	F	0.578	3100	F	2004
(3300) State St	0.55	16000	F	From: 98%	0%	US 11 Euclid Ave	1%	0%	С	0.084	F	0.520	17000	F	2004
(3300) State St	0.67	14000	F	98% To:	0%	Peters St 1% 0% Commonwealth Av	1% /e	0%	F	0.083	F	0.507	16000	F	2004
3300	0.43	10000	F	98% To:	0%	SR 381 JB-TN 1% 0% Edgemont Ave	1%	0%	F	0.087	F	0.605	11000	F	2004
(3301) Bob Morrison Blvd	0.45	3600	F	98% To:	0%	W State St 1% 0% US 11 W Euclid Av	1% ve	0%	С	0.094	F	0.549	4000	F	2004
9305 Piedmont Ave	0.05	4100	F	99% To:	0%	102-3300; State Stro 1% 0% US 421 Gap Termin	0%	0%	F	0.092	F	0.571	4400	F	2004
9305) Piedmont Ave	0.15	2300	F	99% To:	0%	Oakview Ave 1% 0% W Mary St	0%	0%	С	0.099	F	0.656	2600	F	2004
(3305) Piedmont Ave	0.15	4500	F	99% To:	0%	Mary St 1% 0% Euclid Ave US 11	0%	0%	F	0.097	F	0.516	4900	F	2004
(3307) Moore St	0.41	810	F	99% To:	0%	State St 0% 0% Cumberland St	0%	0%	С	0.114	F		890	F	2004
(3307) Moore St	0.43	1600	F	99% To:	0%	Mary St 0% 0% Oakview St	0%	0%	F	0.089	F	0.549	1800	F	2004

						City of Bri	Stol								
Route	Length	AADT	QA	4Tire	Bus	2Axle 3+A			- QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Bristol				-											
				From:		Mary St									
(3308) Fairview St	0.27	3100	F	95%	0%	2% 2%	1%	0%	F	0.095	F	0.644	3400	F	2004
\bigcirc				To: From:		Rhode Island	Ave								
(3308) Massachusetts Ave	0.37	1800	F	95%	0%	2% 2%		0%	С	0.094	F	0.544	2000	F	2004
(3308)	0.0.		-		0,0		, 0			0.00	•	0.0		•	_00.
				From:		Texas Av									
(3308) Massachusetts Ave	0.15	1800	N	95%	0%	2% 2%	1%	0%	N	0.094	N	0.544	2000	Ν	2004
<u> </u>				To- From:		Hillside A	ve	1							
(3308) Kings Mill Pike	0.46	4100	F	97%	0%	1% 1%		0%	F	0.092	F	0.532	4500	F	2004
3300)				To:		E Valley l									
				From:		Valley D									
3308) Kings Mill Pike	1.12	6400	F	97%	0%	1% 1%	1%	0%	С	0.093	F	0.557	7000	F	2004
				т		211.11		1							
O Kin on Mill D.I.	0.00	7500		From:	00/	Old Airport				0.004		0.070	0000		0004
(3308) Kings Mill Rd	0.36	7500	F	97%	0%	1% 1%		0%	F	0.091	F	0.678	8200	F	2004
<u> </u>				To:		ECL Brist	ol								
				From:		Piedmont A	Ave								
3312) W Valley Dr	1.00	1500	F	98%	0%	1% 1%	0%	0%	F	0.098	F	0.536	1700	F	2004
				To:		TIC 11 T	·		ı,						
E Valloy Dr	0.56	6400	-	From:	00/	US 11 Lee I		00/		0.407		O F 40	7000		2004
(3312) E Valley Dr	0.56	6400	F	98%	0%	1% 1%	5 0%	0%	F	0.107	F	0.549	7000	F	2004
				To: From:		Old Abingdor	Pike								
3312) E Vallet Dr	0.72	3800	F	98%	0%	1% 1%	0%	0%	С	0.092	F	0.566	4200	F	2004
				To:		Kingsmill F	ike								
				From:		•									
O Jaland Band	0.04	2000	_		40/	102-1 Pittsto		00/	_	0.4	_	0.500	2400	_	2004
3314) Island Road	2.01	2800	F	98%	1%	1% 0%		0%	F	0.1	F	0.583	3100	F	2004
				To: From:		102-3319 Walla		-							
O Jaland Dd	0.04	2700	_		40/	Wallace Pi		00/	_	0.400	_	0.575	4400	_	2004
(3314) Island Rd	0.31	3700	F	98%	1%	1% 0%		0%	С	0.102	F	0.575	4100	F	2004
				To:		US 11 Lee I	lwy								
				From:		102-3308 King	Mill Rd								
3318) Old Airport Rd	0.96	8800	F							0.085	F	0.549	9600	F	2004
\bigcirc				To:		Donkom I	1.1		1						
3318) Old Airport Rd	0.00	NA		From:		Bonham F	Ka			NA			NA		
(3318) Old Airport Rd	0.98	INA								INA			INA		
				To: From:		I-81									
3318) Old Airport Rd	0.20	NA		· ·						NA			NA		
				To:		US 11									
				From:		Island Ro	1	1							
Mallaca Biles	0.00	4000	_		00/			00/	_	0.000	_	0.005	0400	_	2004
(3319) Wallace Pike	0.33	1900	F	99%	0%	0% 0%		0%	С	0.096	F	0.665	2100	F	2004
				10:		NCL Bris	ol								
	-			From:		Valley D	r						-		-
(3320) Old Abingdon Pike	1.27	3400	F	96%	0%	1% 1%	2%	0%	С	0.096	F	0.604	3700	F	2004
<u> </u>				To:		US 11 Lee I	Hwy								
				From:		US 11 Lee I	Iwv								
3321) Clear Creek Rd	0.13	5100	F	98%	1%	1% 0%		0%	С	0.098	F	0.544	5500	F	2004
(3321) Clear Creek Rd	0.10	3100	•	70: To:	1 /0	NCL Brist		0 /0	,	0.030	'	0.544	5500	'	2004
$\widehat{}$		_	_	From:		W State S				_	_	_		· <u> </u>	_
3323) Peters St	0.28	2300	F	99%	0%	1% 0%		0%	С	0.104	F	0.548	2500	F	2004
\bigcirc				To:		US 11 Euclid	Ave								
				From:		102-6 Glenwa	v Ave								
3325) Piedmont Ave	0.16	1800	F	99%	0%	1% 0%		0%	F	0.106	F	0.568	1900	F	2004
(3325) Pledmont Ave	0.10	.000	•	To:	J /U	102-3312 Val		- J		5.100	•	0.000	1000	•	2004
	<u>-</u>			From:		Piedmont A								-	
3326) W Mary St	0.45	3100	F	99%	0%	1% 0%	0%	0%	С	0.107	F	0.503	3400	F	2004
\bigcirc				To:		Dandall (4								
				From:	00/	Randall S				0.004				_	2004
\ \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	0.00	4700	_												
3326) W Mary St	0.23	4700	F	99% To:	0%	1% 0% Fairview		0%	F	0.094	F	0.597	5200	F	2004

Route	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Bristol 3328 Bonham Rd	0.32	7200	F	99%	0%	1%	Airport Rd 0%	0%	0%	F	0.091	F	0.54	7900	F	2004
Bonham Rd	0.45	9200	F	From: 99%	0%	1%	I-81 0% 1 Lee Hwy	0%	0%	С	0.092	F	0.518	10000	F	2004
Chester St		350	F	From:			nway Ave				0.126	F	0.576	390	F	2004
Cheyenne Rd		150	F	From:		Sha	wnee Rd				0.138	F	0.522	170	F	2004
Daniel St		370	F	From:			ewton St see State L	ine			0.149	F	0.861	410	F	2004
Jefferson Dr		400	F	From:		Cl	nerry Ln				0.135	F	0.689	440	F	2004
Lester St		690	F	From:		M	loore St				0.088	F	0.596	760	F	2004
Pearl St		90	F	From:		Pros	spect Ave				0.128	F	0.52	100	F	2004
Poplar St		70	F	From:		Oal	cview Dr				0.253	F	0.59	80	F	2004
Spring Branch Rd		45	F	From:		Ove	erlake Dr Vale Dr				0.31	F	0.516	50	F	2004